

NEKO / INLINE
Single Phase LED Tracklight System

NEW

Incl. Phase Dim Driver
Direct Connection 230V – No External Driver





INLINE ST-11W



INLINE SP-8W

NEKO / INLINE
Single Phase LED Tracklight System




Incl. Phase Dim Driver
Direct Connection 230V – No External Driver



INLINE ST-11W
11W, 36°, 700lm at CRI>90 2700K



INLINE SP-8W
8W, 36°, 500lm at CRI>90 2700K



11W | CRI90 | 2700K | 36° | **CITIZEN** Micro Human Tech | UGR < 19 | IP20 | 5 YEARS GUARANTEE | CE




LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
9 W	11 W	18 V	500 mA	90	2700K	36°	900lm	700lm	ILST-9273611P-WB

Code Remark: P=(Phase Dim)

9 W	11 W	18 V	500 mA	90	2700K	36°	900lm	700lm	ILST-9273611P-BB
-----	------	------	--------	----	-------	-----	-------	-------	------------------


Code Remark: P=(Phase Dim)


Track System



Compatible with NEKO INLINE Single Circuit Track System

Light Distribution





8W | CRI90 | 2700K | 36° | **CITIZEN** Micro HumanTech | UGR < 19 | IP20 | 5 YEARS GUARANTEE | CE

LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
6 W	8 W	18 V	350 mA	90	2700K	36°	700lm	500lm	ILSP-9273608P-WB


Code Remark: P=(Phase Dim)



6 W	8 W	18 V	350 mA	90	2700K	36°	700lm	500lm	ILSP-9273608P-BB
-----	-----	------	--------	----	-------	-----	-------	-------	------------------


Code Remark: P=(Phase Dim)


Track System



Compatible with NEKO INLINE Single Circuit Track System

Light Distribution








Quick Info


- Aluminum extrusion track shell
- 2 pieces copper busbars, insulated by plastic
- Single circuit track system for 16A (3500W) input
- Track length available in 1000mm and 2000mm
- Various connectors and accessories available for building comprehensive lighting system
- Color finish in White(RAL9003) or Black(RAL9005)
- Surface mounted

Load of Track



Connection Diagram





INLINE Single Phase Track

Description

INLINE Single Phase Track, 1000mm Length, White

INLINE Single Phase Track, 1000mm Length, Black

INLINE Single Phase Track, 2000mm Length, White

INLINE Single Phase Track, 2000mm Length, Black


Code/Model

ILTR-1000-FP-W

ILTR-1000-FP-W

ILTR-2000-FP-W

ILTR-2000-FP-B



Live End Connector

Description

Live End Connector, Left, White

Live End Connector, Left, Black

Live End Connector, Right, White

Live End Connector, Right, Black


Code/Model

ILTR-LEC-L-W

ILTR-LEC-L-B

ILTR-LEC-R-W

ILTR-LEC-R-B



I Straight Connector

Description


I Straight Connector, It Provides a Center Feed Option, White

I Straight Connector, It Provides a Center Feed Option, Black

Code/Model

ILTR-ISC-W

ILTR-ISC-B



L Connector

Description

L Connector, Outer, White

L Connector, Outer, Black

L Connector, Inner, White

L Connector, Inner, Black


Code/Model

ILTR-LC-O-W

ILTR-LC-O-B

ILTR-LC-I-W

ILTR-LC-I-B



Mini Straight Connector

Description


Mini Straight Connector, White

Mini Straight Connector, Black

Code/Model

ILTR-MS-C-W

ILTR-MS-C-B



Endcap

Description

Endcap, White

Endcap, Black

Code/Model

ILTR-ECAP-W

ILTR-ECAP-B