



# Attestation of Compliance

Reference No. : LCS200709010BS

Applicant : NEKO LIGHTING AG

Address : Kreuzstrasse 2, CH-8008 Zürich, Switzerland

Product : Low Voltage Track System

Trade Mark : **NEKO**

Model(s) : SEE ANNEX 1

Parameters : DC48V, ta40°C, Class III, details refer to ANNEX 1

Tested according to : EN 60598-2-1:1989; EN 60598-1:2015+A1:2018; EN 62471:2008;  
EN 62493:2015; EN 62031:2008+A1:2013+A2:2015;  
EN 60570:2003+A1:2018

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the council Directive 2014/35/EU, Referred to as the Low Voltage Directive. It confirms that the listed product complies with all essential requirements of the LVD Directive and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Laboratory Ltd. for testing.

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.



Date of issue: August 21, 2020



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.  
101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,  
Shenzhen, China  
Tel: (86)755-29871520 Fax: (86)755-29871521  
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com

扫码查询真伪  
Scan, Query authenticity



ANNEX I:

Reference No. : LCS200709010BS

Model(s) :

Model	Rating
ML26-AL280-S12-13W	DC48V, 13W, ta40°C
ML26-AL280-R12-13W	DC48V, 13W, ta40°C
ML26-AL560-S24-26W	DC48V, 26W, ta40°C
ML26-AL560-R24-26W	DC48V, 26W, ta40°C
ML26-AL280-S10-11W	DC48V, 11W, ta40°C
ML26-AL280-R10-11W	DC48V, 11W, ta40°C
ML26-AL280-S8-9W	DC48V, 9W, ta40°C
ML26-AL280-R8-9W	DC48V, 9W, ta40°C
ML26-AL190-S8-9W	DC48V, 9W, ta40°C
ML26-AL190-R8-9W	DC48V, 9W, ta40°C
ML26-AL190-S6-7W	DC48V, 7W, ta40°C
ML26-AL190-R6-7W	DC48V, 7W, ta40°C
ML26-AL190-S2-3W	DC48V, 3W, ta40°C
ML26-AL190-R2-3W	DC48V, 3W, ta40°C
ML26-GL280-7W	DC48V, 7W, ta40°C
ML26-GL280-10W	DC48V, 10W, ta40°C
ML26-GL560-13W	DC48V, 13W, ta40°C
ML26-GL560-19W	DC48V, 19W, ta40°C
ML26-GL840-19W	DC48V, 19W, ta40°C
ML26-GL840-26W	DC48V, 26W, ta40°C
ML26-GL1120-26W	DC48V, 26W, ta40°C
ML26-RS25-5W	DC48V, 5W, ta40°C
ML26-RS25-3W	DC48V, 3W, ta40°C
ML26-RS40-16W	DC48V, 16W, ta40°C
ML26-RS40-8W	DC48V, 8W, ta40°C
ML26-RS40-24W	DC48V, 24W, ta40°C
ML26-RS40-12W	DC48V, 12W, ta40°C
ML26-RT55-10W	DC48V, 10W, ta40°C







ML26-RT55-14W	DC48V, 14W, ta40°C
ML26-PS40-8W	DC48V, 8W, ta40°C
ML26-PS40-12W	DC48V, 12W, ta40°C
ML26-PS55-10W	DC48V, 10W, ta40°C
ML26-PS55-14W	DC48V, 14W, ta40°C
ML26-PS72-14W	DC48V, 14W, ta40°C
ML26-PS72-20W	DC48V, 20W, ta40°C
ML26-PD-13W	DC48V, 13W, ta40°C
ML26-PD-19W	DC48V, 19W, ta40°C
ML26-WW280-7W	DC48V, 7W, ta40°C
ML26-WW280-10W	DC48V, 10W, ta40°C
ML26-WW560-13W	DC48V, 13W, ta40°C
ML26-WW560-19W	DC48V, 19W, ta40°C
ML26-SG280-7W	DC48V, 7W, ta40°C
ML26-SG280-10W	DC48V, 10W, ta40°C
ML26-SA280-S12-13W	DC48V, 13W, ta40°C
ML26-SA280-R12-13W	DC48V, 13W, ta40°C
ML26-ML22-5W	DC48V, 5W, ta40°C
ML26-ML22-3W	DC48V, 3W, ta40°C
ML26-SC280-7W	DC48V, 7W, ta40°C
ML26-SC280-10W	DC48V, 10W, ta40°C
ML26-CL280-7W	DC48V, 7W, ta40°C
ML26-CL280-10W	DC48V, 10W, ta40°C
ML26-CL560-13W	DC48V, 13W, ta40°C
ML26-CL560-19W	DC48V, 19W, ta40°C
ML26-CL840-19W	DC48V, 19W, ta40°C
ML26-CL840-26W	DC48V, 26W, ta40°C
ML26-CL1120-26W	DC48V, 26W, ta40°C
ML26-SA280-S8-9W	DC48V, 9W, ta40°C
ML26-SA280-R8-9W	DC48V, 9W, ta40°C
ML26-SA280-S10-11W	DC48V, 11W, ta40°C
ML26-SA280-R10-11W	DC48V, 11W, ta40°C



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.  
101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,  
Shenzhen, China  
Tel: (86)755-29871520 Fax: (86)755-29871521  
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com



扫码查询真伪  
Scan, Query authenticity  
3 / 3