



Verification Report

Applicant : NEKO LIGHTING AG


Address : Kreuzstrasse 2, CH-8008 Zürich, Switzerland

Factory : NEKO LIGHTING AG

Address : Nairui Industrial Park, No.9, Xin Le Wu Road, Ma'an Town, Huicheng District, Huizhou, Guangdong, China

Report on the submitted samples said to be:

Sample Name(s) : Tracklight

Trade Mark : 

Part No. : See page 2

Sample Received Date : September 21, 2022

Testing Period : September 21, 2022 ~ October 09, 2022

Date of Report : October 09, 2022

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Results : Please refer to next page(s).



TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	PASS

Signed for and on behalf of LCS



Young Laboratory Manager



**Part No.:**

ML26-AL280-S12-13W, ML26-AL280-R12-13W, ML26-AL560-S24-26W, ML26-AL560-R24-26W,
ML26-AL280-S8-9W, ML26-AL280-R8-9W, ML26-AL190-S8-9W, ML26-AL190-R8-9W,
ML26-AL190-S6-7W, ML26-AL190-R6-7W, ML26-AL190-S2-3W, ML26-AL190-R2-3W,
ML26-GL280-7W, ML26-GL560-13W, ML26-GL840-19W, ML26-GL1120-26W, ML26-RS25-5W,
ML26-RS25-3W, ML26-RS40-16W, ML26-RS40-8W, ML26-RS40-24W, ML26-RS40-12W,
ML26-RT55-10W, ML26-PS40-12W, ML26-PS55-14W, ML26-WRS96-9W, ML26-PA250-18W,
ML26-WW280-7W, ML26-WW560-13W, ML26-SG280-7W, ML26-SA280-S12-13W,
ML26-SA280-R12-13W, ML26-UL1000-10W, ML26-SC280-7W, ML26-CL280-7W, ML26-CL560-13W,
ML26-CL840-19W, ML26-CL1120-26W, ML35-AL300-15W, ML35-AL600-29W, ML35-GL300-13W,
ML35-GL600-26W, ML35-RS35-5W, ML35-RS55-14W, ML35-PS55-14W, ML35-PS72-20W,
ML35-WRS96-9W, PURE ART-15W, PURE ART-11W, PURE S-15W, PURE S-15W,
PURE S-21W, PURE M-28W, SWII-15W, FOCUS S-15W, FOCUS S-21W, FOCUS S-28W,
FOCUS M-42W, GITTA-15W, ZOOMART-15W, ROXY Art-Z-15W, ROXY Art-15W,
ROXY S-15W, ROXY S-21W, ROXY K-21W



**Results:****A. EU RoHS Directive 2011/65/EU and its amendment directives**

Test method: With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample No.	Sample Description	Results						Date of sample submission/ Resubmission
		Cd	Pb	Hg	Cr [▼]	Br [▼]		
						PBBs	PBDEs	
1	White metal shell	BL	BL	BL	BL	/	/	2022-09-21
2	White plastic shell	BL	BL	BL	BL	BL	BL	2022-09-21
3	White plastic plate	BL	BL	BL	BL	BL	BL	2022-09-21
4	Black plastic frame	BL	BL	BL	BL	BL	BL	2022-09-21
5	Black plastic ring	BL	BL	BL	BL	BL	BL	2022-09-21
6	White plastic ring	BL	BL	BL	BL	BL	BL	2022-09-21
7	Transparent plastic block	BL	BL	BL	BL	BL	BL	2022-09-21
8	White plastic gear	BL	BL	BL	BL	BL	BL	2022-09-21
9	White rubber sheet	BL	BL	BL	BL	BL	BL	2022-09-21
10	White label	BL	BL	BL	BL	BL	BL	2022-09-21
11	Silver metal block	BL	BL	BL	BL	/	/	2022-09-21
12	Copper metal sheet	X	BL	BL	BL	/	/	2022-09-21
13	Silver metal washer	BL	BL	BL	BL	/	/	2022-09-21
14	White rubber block	BL	BL	BL	BL	BL	BL	2022-09-21
15	Brown cloth	BL	BL	BL	BL	BL	BL	2022-09-21
16	Silver metal screw	BL	BL	BL	BL	/	/	2022-09-21
17	Silver metal screw	BL	BL	BL	BL	/	/	2022-09-21
18	Silver metal screw	OL	BL	BL	BL	/	/	2022-09-21
19	Silver metal screw	BL	BL	BL	BL	/	/	2022-09-21
20	Silver metal nut	X	BL	BL	BL	/	/	2022-09-21
21	White plastic pipe	BL	BL	BL	BL	BL	BL	2022-09-21
22	Black plastic thread leather	BL	BL	BL	BL	BL	BL	2022-09-21
23	White plastic thread	BL	BL	BL	BL	BL	BL	2022-09-21
24	Copper metal core	X	BL	BL	BL	/	/	2022-09-21
25	Black plastic thread leather	BL	BL	BL	BL	BL	BL	2022-09-21
26	Red plastic thread leather	BL	BL	BL	BL	BL	BL	2022-09-21
27	Silver metal core	BL	BL	BL	BL	/	/	2022-09-21
28	Black plastic shell	BL	BL	BL	BL	BL	BL	2022-09-21



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Sample No.	Sample Description	Results						Date of sample submission/ Resubmission
		Cd	Pb	Hg	Cr [▼]	Br [▼]		
						PBBs	PBDEs	
29	Red plastic shell	BL	BL	BL	BL	BL	BL	2022-09-21
30	Silver metal contact	BL	BL	BL	BL	/	/	2022-09-21
31	Red plastic shell	BL	BL	BL	BL	X	X	2022-09-21
32	Black plastic block	BL	BL	BL	BL	X	X	2022-09-21
33	White plastic slider	BL	BL	BL	BL	BL	BL	2022-09-21
34	Silver metal contact	BL	BL	BL	BL	/	/	2022-09-21
35	Ferrous metal magnetic core	BL	BL	BL	BL	/	/	2022-09-21
36	Copper metal coil	BL	BL	BL	BL	/	/	2022-09-21
37	Black plastic shell	BL	BL	BL	BL	BL	BL	2022-09-21
38	Silver metal aluminum shell	BL	BL	BL	BL	/	/	2022-09-21
39	Yellow wet paper	BL	BL	BL	BL	BL	BL	2022-09-21
40	Silver grey metal sheet	BL	BL	BL	BL	/	/	2022-09-21
41	Black rubber pad	BL	BL	BL	BL	BL	BL	2022-09-21
42	Silver metal pin	BL	BL	BL	BL	/	/	2022-09-21
43	Silver metal solder	BL	OL	BL	BL	/	/	2022-09-21
44	Black plastic diode	BL	BL	BL	BL	BL	BL	2022-09-21
45	Green plastic PCB board	BL	BL	BL	BL	X	X	2022-09-21
46	Ferrous metal pipe	BL	BL	BL	BL	/	/	2022-09-21
47	Ferrous metal screw	BL	BL	BL	BL	/	/	2022-09-21
48	Ferrous metal screw	BL	BL	BL	BL	/	/	2022-09-21
49	Ferrous metal sheet	BL	BL	BL	BL	/	/	2022-09-21
50	Black plastic block	BL	BL	BL	BL	BL	BL	2022-09-21
51	Black cloth mesh	BL	BL	BL	BL	BL	BL	2022-09-21
52	Black plastic thread leather	BL	BL	BL	BL	BL	BL	2022-09-21
53	White plastic thread	BL	BL	BL	BL	BL	BL	2022-09-21
54	Silver metal core	BL	BL	BL	BL	/	/	2022-09-21
55	White plastic plate	BL	BL	BL	BL	BL	BL	2022-09-21
56	Ferrous metal shell	BL	BL	BL	BL	/	/	2022-09-21
57	Copper metal contact	BL	BL	BL	BL	/	/	2022-09-21
58	Ferrous metal shell	BL	BL	BL	BL	/	/	2022-09-21
59	Black plastic frame	BL	BL	BL	BL	BL	BL	2022-09-21
60	Black plastic frame	BL	BL	BL	BL	BL	BL	2022-09-21





Note:

- Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$
Br	$BL \leq (300-3\sigma) < X$	N/A	$BL \leq (250-3\sigma) < X$

Remark:

- BL= Below Limit
 - OL= Over Limit
 - X= The range of needing to do further testing
 - 3σ= The reproducibility of analytical instruments
 - N/A= Not applicable
 - LOD= Detection limit
- The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
 - The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
 - ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.





RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



**B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content****Test method:****Lead(Pb) & Cadmium(Cd) Content:**

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES) or Atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Lead(Pb) & Cadmium(Cd)

Tested Items	MDL (mg/kg)	Results (mg/kg)				Limit (mg/kg)
		(43)				
Lead(Pb) Content	5	255				1000

Tested Items	MDL (mg/kg)	Results (mg/kg)				Limit (mg/kg)
		(12)	(18)	(20)	(24)	
Cadmium(Cd) Content	5	N.D.	N.D.	N.D.	N.D.	100

2) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

Tested Items	MDL (mg/kg)	Results (mg/kg)				Limit (mg/kg)
		22	23	25	26	
Dibutyl Phthalate(DBP) Content	100	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	100	N.D.	N.D.	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	100	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	100	N.D.	N.D.	N.D.	N.D.	1000





Tested Items	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		52	53	
Dibutyl Phthalate(DBP) Content	100	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	100	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	100	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	100	N.D.	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		2+3+4+5+6+7		
Dibutyl Phthalate(DBP) Content	600	N.D.		1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.		1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.		1000
Diisobutyl phthalate(DIBP) Content	600	N.D.		1000

Tested Items	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		8+9+10+14+15+21		
Dibutyl Phthalate(DBP) Content	600	N.D.		1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.		1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.		1000
Diisobutyl phthalate(DIBP) Content	600	N.D.		1000

Tested Items	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		28+29+31+32+33+37		
Dibutyl Phthalate(DBP) Content	600	N.D.		1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.		1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.		1000
Diisobutyl phthalate(DIBP) Content	600	N.D.		1000





Tested Items	MDL (mg/kg)	Results (mg/kg)	Limit (mg/kg)
		39+41+44+45+50+51	
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg)	Limit (mg/kg)
		55+59+60	
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000



**3) The test results of PBBs & PBDEs**

Tested Items	MDL (mg/kg)	Results (mg/kg)			Limit (mg/kg)
		(31)	(32)	(45)	
Polybrominated Biphenyls(PBBs) Content					
Monobromobiphenyl	5	N.D.	N.D.	N.D.	/
Dibromobiphenyl	5	N.D.	N.D.	N.D.	/
Tribromobiphenyl	5	N.D.	N.D.	N.D.	/
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	/
Pentabromobiphenyl	5	N.D.	N.D.	N.D.	/
Hexabromobiphenyl	5	N.D.	N.D.	N.D.	/
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	/
Octabromobiphenyl	5	N.D.	N.D.	N.D.	/
Nonabromodiphenyl	5	N.D.	N.D.	N.D.	/
Decabromodiphenyl	5	N.D.	N.D.	N.D.	/
Total content	/	N.D.	N.D.	N.D.	1000
Polybrominated Diphenylethers(PBDEs) Content					
Monobromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Hexabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Heptabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Nonabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Total content	/	N.D.	N.D.	N.D.	1000






Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.
- According to the customer's statement, the materials of points 1 ~ 60 in this report are consistent with those of points 1 ~ 60 in LCSA082322066R. The raw data are directly quoted, and the referenced samples are not tested this time.

Test Process

1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV






3. Hexavalent Chromium(Cr(VI))


1) IEC 62321-7-2:2017




2) IEC 62321-7-1:2015



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) : IEC 62321-6:2015





5. Phthalates(DBP, BBP, DEHP & DIBP) : IEC 62321-8:2017







The photo(s) of the sample











Statement:

1. The test report is invalid without the signature of the approver and the special seal for the company's report;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of LCS, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the English version shall prevail.

*** End of Report ***

