

MODULINE 05

The ultra-slim linear modular system.

Epitomizing minimalist elegance, boasting an ultra-slim track with a 5mm width aperture.

Its seamless integration into any environment ensures a natural and effortless aesthetic, ideal for residential, retail, or any setting where sleek design reigns supreme.



5.4mm






Application reference

MODULINE 05 – The Ultra-slim Linear Modular System




ML05-HR



ML05-SM




ML05-TR



ML05-HR




ML05-SM



ML05-TR

MODULINE 05 –The Ultra-slim Linear Modular System


Surface-mounted Track




Order Info

Length	Description	Code/ Model (Black)	Code/ Model (White)
1000mm	Surface Mounted Track Rail	ML05-SM1000-B	ML05-SM1000-W
2000mm	Surface Mounted Track Rail	ML05-SM2000-B	ML05-SM2000-W
3000mm	Surface Mounted Track Rail	ML05-SM3000-B	ML05-SM3000-W

Accessories





Pendant H Track




Order Info

Length	Description	Code/ Model (Black)	Code/ Model (White)
1000mm	Pendant H Track Rail	ML05-HR1000-B	ML05-HR1000-W
2000mm	Pendant H Track Rail	ML05-HR2000-B	ML05-HR2000-W
3000mm	Pendant H Track Rail	ML05-HR3000-B	ML05-HR3000-W

Accessories




Trimless-recessed Track



Order Info

Length	Description	Code/ Model (Black)	Code/ Model (White)
1000mm	Trimless-recessed Track Rail	ML05-TR1000-EI-B	ML05-TR1000-EI-W
2000mm	Trimless-recessed Track Rail	ML05-TR2000-EI-B	ML05-TR2000-EI-W
3000mm	Trimless-recessed Track Rail	ML05-TR3000-EI-B	ML05-TR3000-EI-W

Accessories



MODULINE 05 – The Ultra-slim Linear Modular System

Spotlight Light Inset



ML05-RS30-4W


System Lumen Output: 250lm (3000K)
System Wattage: 4W
Beam Angle: 18°/24°/36°/50°
Housing Color: Black/White
CCT: 3000K
CRI: >90



ML05-RS40-8W

System Lumen Output: 600lm (3000K)
System Wattage: 8W
Beam Angle: 18°/24°/36°
Housing Color: Black/White
CCT: 3000K
CRI: >90

General Light LED Strip Light Inset



ML05-GL1250-7W

System Lumen Output: 480lm (3000K)
System Wattage: 7W
Beam Angle: 110°
CRI: >90, CCT: 3000K

ML05-GL2500-14W

System Lumen Output: 920lm (3000K)
System Wattage: 14W
Beam Angle: 110°
CRI: >90, CCT: 3000K

More light insets is coming soon!

